

# Adapter 45 VO

## Anschluss



beidseitig: Dichtkopf 24° Außenkonus O-Ring-dichtend mit metrischer Mutter L / S -Reihe

## Werkstoff

Stahl

## Oberfläche

galvanisch verzinkt



| Bestell-Nr. | RA1 | RA2 | T1 | T2 | SW1 in mm | SW2 in mm | A±3 in mm | B±3 in mm |
|-------------|-----|-----|----|----|-----------|-----------|-----------|-----------|
|-------------|-----|-----|----|----|-----------|-----------|-----------|-----------|

|                       |      |      |          |          |    |    |    |    |
|-----------------------|------|------|----------|----------|----|----|----|----|
| <b>45VO 6-L/ 6-L</b>  | 6-L  | 6-L  | M 12x1.5 | M 12x1.5 | 14 | 14 | 17 | 48 |
| <b>45VO 6-S/ 6-S</b>  | 6-S  | 6-S  | M 14x1.5 | M 14x1.5 | 17 | 17 | 16 | 47 |
| <b>45VO 8-L/ 8-L</b>  | 8-L  | 8-L  | M 14x1.5 | M 14x1.5 | 17 | 17 | 19 | 52 |
| <b>45VO 8-S/ 8-S</b>  | 8-S  | 8-S  | M 16x1.5 | M 16x1.5 | 19 | 19 | 18 | 51 |
| <b>45VO 10-L/10-L</b> | 10-L | 10-L | M 16x1.5 | M 16x1.5 | 19 | 19 | 23 | 58 |
| <b>45VO 10-S/10-S</b> | 10-S | 10-S | M 18x1.5 | M 18x1.5 | 22 | 22 | 22 | 53 |
| <b>45VO 12-L/12-L</b> | 12-L | 12-L | M 18x1.5 | M 18x1.5 | 22 | 22 | 23 | 55 |
| <b>45VO 12-S/12-S</b> | 12-S | 12-S | M 20x1.5 | M 20x1.5 | 24 | 24 | 20 | 52 |
| <b>45VO 14-S/14-S</b> | 14-S | 14-S | M 22x1.5 | M 22x1.5 | 27 | 27 | 22 | 58 |
| <b>45VO 15-L/15-L</b> | 15-L | 15-L | M 22x1.5 | M 22x1.5 | 27 | 27 | 23 | 64 |
| <b>45VO 16-S/16-S</b> | 16-S | 16-S | M 24x1.5 | M 24x1.5 | 30 | 30 | 24 | 66 |
| <b>45VO 18-L/18-L</b> | 18-L | 18-L | M 26x1.5 | M 26x1.5 | 32 | 32 | 24 | 63 |
| <b>45VO 20-S/20-S</b> | 20-S | 20-S | M 30x2   | M 30x2   | 36 | 36 | 27 | 71 |
| <b>45VO 22-L/22-L</b> | 22-L | 22-L | M 30x2   | M 30x2   | 36 | 36 | 32 | 76 |
| <b>45VO 25-S/25-S</b> | 25-S | 25-S | M 36x2   | M 36x2   | 46 | 46 | 34 | 81 |
| <b>45VO 28-L/28-L</b> | 28-L | 28-L | M 36x2   | M 36x2   | 41 | 41 | 32 | 74 |
| <b>45VO 30-S/30-S</b> | 30-S | 30-S | M 42x2   | M 42x2   | 50 | 50 | 33 | 81 |
| <b>45VO 35-L/35-L</b> | 35-L | 35-L | M 45x2   | M 45x2   | 50 | 50 | 34 | 82 |
| <b>45VO 38-S/38-S</b> | 38-S | 38-S | M 52x2   | M 52x2   | 60 | 60 | 38 | 91 |
| <b>45VO 42-L/42-L</b> | 42-L | 42-L | M 52x2   | M 52x2   | 60 | 60 | 38 | 90 |

### Zubehör

- O-Ring DKOL/DKOS

### Optionen

abweichende Längen und Winkel auf Anfrage

Sie haben Fragen? **+49 (36602) 140-140**

