


Saug- & Niederdruckarmaturen Tankanschluss Ruecklaufleitung (GE)

Werkstoff

Stahl

Oberfläche

DIN 50979 Fe//Zn8//Cn//T2



Bestell-Nr.	Anschluss d	Gewinde Zoll	d in mm	s in mm	DKAZ
18.GE-12LR L325	12L	G 3/8	12	1.5	
18.GE-15LR L325	15L	G 1/2	16	1.5	
18.GE-18LR L325	18L	G 1/2	16	1.5	
18.GE-22LR L325	22L	G 3/4	20	1.5	*)
18.GE-28LR L325	28L	G 1	25	1.5	*)
18.GE-35LR L325	35L	G 1 1/4	35	3.0	*)
18.GE-42LR L325	42L	G 1 1/2	38	1.5	*)

Bestell-Nr.	Anschluss d	Gewinde Zoll	d in mm	s in mm	DKAZ
18.GE-10SR L325	10S	G 3/8	12	1.5	
18.GE-12SR L325	12S	G 3/8	12	1.5	
18.GE-16SR L325	16S	G 1/2	16	1.5	
18.GE-20SR L325	20S	G 3/4	20	1.5	*)
18.GE-25SR L325	25S	G 1	25	1.5	*)

18.GE-30SR L325	30S	G 1 1/4	35	1.5	*)
18.GE-38SR L325	38S	G 1 1/2	38	1.5	*)

Bestell-Nr.	Anschluss d	Gewinde Zoll	d in mm	s in mm	DKAZ
18.GE-12LR L180	12L	G 3/8	12	1.5	
18.GE-15LR L180	15L	G 1/2	16	1.5	
18.GE-18LR L180	18L	G 1/2	16	1.5	
18.GE-22LR L180	22L	G 3/4	20	1.5	*)
18.GE-28LR L180	28L	G 1	25	1.5	*)

Bestell-Nr.	Anschluss d	Gewinde Zoll	d in mm	s in mm	DKAZ
18.GE-18LR L1000	18L	G 1/2	16	1.5	
18.GE-22LR L1000	22L	G 3/4	20	1.5	*)
18.GE-28LR L1000	28L	G 1	25	1.5	*)
18.GE-35LR L1000	35L	G 1 1/4	35	3.0	*)
18.GE-42LR L1000	42L	G 1 1/2	38	1.5	*)

Bestell-Nr.	Anschluss d	Gewinde Zoll	d in mm	s in mm	DKAZ
18.GE-16SR L1000	16S	G 1/2	16	1.5	
18.GE-20SR L1000	20S	G 3/4	20	1.5	*)
18.GE-25SR L1000	25S	G 1	25	1.5	*)
18.GE-30SR L1000	30S	G 1 1/4	35	1.5	*)
18.GE-38SR L1000	38S	G 1 1/2	38	1.5	*)

Sie haben Fragen? **+49 (36602) 140-140**



Hinweis

Lieferumfang: inkl. Schneidring, Überwurfmutter

*) teilweise Dichtkantring